


BERGO TILES

Multifunctional Flooring


Phone (02) 6628 6909 e:sales@alstonvilletiles.com



BERGO TILES

are multifunctional

- UV-stabile – for inside and outside.
- Easy to install, easy to move. Requires no fasteners.
- Ventilating, draining and slip resistant.
- Hot/cold reducing, ergonomic and sound absorbing.
- Minimal maintenance. Easy to clean. Long-lasting.
- Environmentally friendly, 100% recyclable materials.





Damp Sub-Straights.

Avoid damp / mould. Spectrum tiles leave an air gap that ventilates the damp concrete floor.

BERGO tiles are non-toxic.


Avoid splinters from toxic, pressure treated decking.

Draining.

Dries quickly after rain.

Maintenance-free.

No oiling, no grinding.



Novare Floors a division of Spectrum Quality Flooring provides durable solutions.

The multifunctionality in a Bergo floor allows the surface underneath to 'breathe', which prevents moisture being trapped and odours forming. You can easily perform the installation yourself.

THIS IS SPECTRUM FLOORING

Since 1976, Spectrum Flooring has been supplying a wide range of resilient floor coverings. Our latest division; Novare Floors recently complimented our collection with the Bergo range of multifunctional composite flooring, well-tested to withstand extremely harsh environments. The products can withstand any climate and have the following multifunctions: Draining, Ventilating, Sound-absorbing, Thermal-separating, Non-slip, Ergonomic, Material is non-organic i.e. does not absorb liquid and is chemical resistant.


This makes the flooring perfect for tough environments.

The Bergo Unique tiles are for use in all domestic situations. These areas include but are not limited to garages, patios, decks and storage areas.


For public events and heavy duty areas Spectrum recommends the Bergo Supreme.

BERGO'S ENVIRONMENTAL COMMITMENT

These quality products are made in Sweden in an eco-friendly production facility, without environmentally harmful emissions. The product is made of 100% recyclable PP composites, which can be reused over and over again.



Novare Flooring is a floating floor that can be laid on most surfaces without screws, nails or glue. Thanks to the open structure of the flooring, the surface underneath can breathe. Spectrum Flooring is available in several different designs and colours. Accessories such as edge strips, corner strips, expansion strips (System 1) and removal tools are available.



before



RENOVATING

Using the Bergo Flooring system, worn, repaired and stained floors can be transformed in hours to completely renew an area with amazing results.

MOISTURE ISSUES


Bergo Flooring can overcome issues relating to moisture in concrete slabs. Whether your problem is as a result of naturally rising moisture, moisture damage or moisture in newly constructed concrete floors, this product can surmount any difficulty.

Floors consisting of concrete slabs constructed directly on the ground are often affected by rising moisture. This has nothing to do with how good the drainage around the house is but is a normal transfer of moisture through the concrete floor. If organic material is placed directly onto the concrete floor, this poses considerable risk of it being damaged and becoming mouldy.

Bergo flooring is non-organic, and its construction leaves an air gap between it and the concrete floor, eliminating the risk of rising moisture being transferred.

A freshly cast concrete floor always contains an excess of moisture, which must dry out before anything organic can be placed on it. The drying time is often several months, subject to climatic conditions, preventing you from using the space while it dries. Bergo Flooring cuts down on these waiting periods as its construction places a distance between the floor and any storage, allowing the surface below to 'breathe'.

Where a floor has been damaged due to flooding, traditionally this must be dried out prior to being used again which can cause months of problems associated with inconvenience and cost. Thanks to its design, Bergo Flooring allows the floor to 'breathe', eliminating the need to keep off it and allowing you to get back on with life!



SUBSTRATES

Bergo Flooring is easy to lay and can be placed on any existing hard surfaces without fasteners such as glue, screws or nails.


- Timber
- Concrete
- Ceramic Tiles
- Pavers.

BENEFITS

- The floor is made of FDA-approved material that does not give off any emissions, meaning it meets environmental and health criteria.
- Chemical resistant and therefore retains its function even in aggressive environments.
- Design with the built-in air gap allows surface below to 'breathe' eliminating any unpleasant odours.
- With a small distance between the sub-straight and the tops of the tile makes it warmer to walk on.
- These designs as well as being aesthetically appealing, provides a safe, cost effective and practical solution.

INSTALLATION TIPS:

1. Remove any organic material, if necessary.
2. Vacuum the surface.
3. Place an acoustic underlay (if required) between the Bergo flooring and the surface below to achieve sound-proofing effect.
4. Start in a corner and remember to always keep tiles going in the same direction.
5. Connect tiles with the protruding rings over the studs and fit them together. Using a rubber mallet, apply sharp blows along the join to secure the connection.
6. Leave a small gap of 8-10 mm from all fixtures and walls to allow for expansion and contraction.



Soft &
antibacterial

SOFT TILE

Novare Floors new collection of Soft
Tiles for wet areas.

The **Bergo SOFT Tile** is an anti-bacterial, slip-reducing and flexible floor tile for wet areas. Soft Tile offers new opportunities to build a soft floor covering in any desired size at pool, sauna, spa and gym facilities.





SOFT TILE has a safe, slip reducing construction.
The floor is soft and warm under bare feet.

USAGE AREAS

- Public Change Rooms
- Spas
- Showers
- Gym Facilities
- Swimming Pools
- Saunas.

ADVANTAGES

- Slip reducing and comfortable
- Good drainage capability
- Sound absorbing
- Chemical resistant, FDA approved and antibacterial material
- Non-organic (non-moisture absorbing).

MINIMAL MAINTENANCE

The mats' ingenious design allows the water to flow freely. Cleaning is easy using a scrubber, water hose and/or power hose.



ACCESSORIES

Edge strip – 376 x 55 mm, for a smart and safe finish.
Corner strip – 55 x 55 mm.

TECHNICAL INFORMATION

Material: FDA approved and antibacterial,
100% environmentally friendly recyclable
PE-composite. PVC-free.

Size of tile: 380 x 380 mm.

Thickness: 10,3 mm.

Packaging: 5 m² / package = 35 tiles.

There is no need of glue or special tools to lay a **Bergo** floor. It can be installed in any imaginable environment and climate and performs equally well indoors as out. The use of **Bergo** floor tiles solves many problems; installations on damp surfaces, cracked/uneven sub-floors and worn-out wooden decks



Our products are available in a wide range of colours.

BERGO TILES SYSTEM 2

Size: 38 x 38 cm

Packaging: 1 m² / pks = 7 tiles

BERGO XL



BERGO BRIQ



BERGO UNIQUE



BERGO ECO UNIQUE



BERGO ELITE



BERGO NOVA



EXTREMELY DURABLE MATERIAL

All our floors are made of extremely durable, UV-stabilised PP-composite. They are also environmentally friendly and 100% recyclable. FDA approved. No emissions. (No PVC).

OUR ECO-SERIES

Information on request.

100%
recycled
composite



ACCESSORIES



Edge strip (376x55mm) and Corner strip (55x55mm).



Cable strip (377x55mm) and Cable Cross-piece (55x55mm, where Cable strips intersect).



Disassembly tool



**Proudly made
in Sweden**

THIS IS SPECTRUM


At Spectrum, a family business and 100% Australian owned, we supply the whole package – from sub floor preparation right through to the finishing touches, with quality products and technical know how sourced from leading manufacturers internationally.

OUR OFFERING

BERGO Tiles are made from recyclable PP-composite. Our floors are installed floating on existing floors without any fasteners. A **Bergo** floor solves many problems thanks to the ventilating and flexible design and is particularly suitable for installations on damp surfaces, but also cracked / uneven sub-floors and worn wooden decks. Our products are available in a wide range of colours, harmoniously coordinated.

OUR BUSINESS AREAS

Spectrum Floor's products have been designed to have many applications ; divided more specifically into the five groups shown below . They are used in over 40 countries ; from the cool Northern European climate to the intense heat of the Middle East, these products are proven and durable.



Anywhere – one solution

PROBLEM FLOORS? CHALLENGING ENVIRONMENTS?

Alstonville
TILES & FLOORCOVERINGS

e: sales@alstonvilletiles.com

Proudly made
in Sweden

